
U.S. POSTAGE PAID PERMIT no. 320 MENLO PARK, CA. 94025

TO:

RETURN REQUESTED: PAARA P.O. BOX 911 MENLO PARK, CA. 94025 Andy Korsak VE3FZK/W6 504 Lakemead Way Pedwood City CA 94062





PAARAgraphs is the official organ of

The Falo Alto Amateur Radio Association and the Menlo Park Civil Defense Radio Club 1979 CLUB OFFICERS BOARD OF DIRECTORS

Fresident	:	Bob Wheeler	K6SEI	494	6549	Chairman:	Bob Wheeler	K6SEM		
Tice President	:	Andy Korsak	VE3FZK	366	5228	Members :	Dusty Doster	K6MPN		
Secretary	:	Gerry Tucker	WA6IIIV	326	4908		Gerry Wagstaffe	W6NIR		
Treasurer	:	Irene Lile	WB6RAF	851	7473		Erv Rasmussen	W6YFM		
Trustee, K60TK	:	Fred Canham	KGYT	948	9238		Ed Fairbanks	WEATH		
Property	:	Ed Fairbanks	WEATH	322	0319		Swede Swenson	KA6BEU		
ARES Officer	:	Steve Stuntz	K6FS	322	4952		Shannon Lile	K6TNY		

PAARA POLICIES	PAARAgraphs STAFF
Membership in PAARA is \$4.00 per calander year	Editor : Bob Baum W6BFH
(payable in January) which membership includes a subscription to PAARAgraphs. Interested others may subscribe to PAARAgraphs for \$1.00. Make payment to:	Production: Advertising: Swede Swemson KA6BEU Printing: Baker Graphics Fine Mailing: Ed Fairbanks W6AIN
PAARA, P.O. Box 911, Menlo Park, CA 94025	Cover : Sue Lindner LØVLY
Written contributions to P.O. Box above or 1043 De	l Norte Ave., Menlo Park, CA 94025
********************************	**************

REGULAR MEETING

FRIDAY

AUGUST 3. 1979

7:30 p.m.

Rooms 15-17, Menlo Park Recreation Center, Civic Center Alma at Mielke, Menlo Park

OPTICON—COMMUNICATIONS AID TO THE BLIND

by

Al Elge, AG6D

Al will describe and demonstrate the OPTICONan optical to tactile converter, to enable the sightless to read, and a talking calculator that proofs as you punch the keys

CIRCLE THE DATE

FRIDAY

7:30 p.m.

Future Meetings: September 7, October 5, Auction/Flea Market October 6 at AMPEX Cafeteria, November 2, December 7...

PAST CORNER: Gary, WB6VEF, gave an inspiring talk on the fun and challange of contest operation at the July 6 meeting. He educated your editor on Field Day night. What he didn't stress that when ones eyes glass over at 3 a.m., ones ears don't. Photographs of typical contest stations showed stages of development—from simplicity to grand.

Earlier in the program visitors were introduced. Fred, K6YT, gave a report on overall F. D. activity after which each Team Captain praised their individual teams and the overall effort while Fred sat back looking even more satisfied than he looked this time last year.

Coffee, cookies and eyeball QSO's separated the business part of the meeting and Gary's presentation. The meeting concluded with a raffle that included items that anyone could use in their shack or tool box.

BOARD CORNER: The July 11 Board Meeting took place in the reinstalled trailer at SRI. The meeting started promptly at 0237%. Since various members had visited the Post Office Box during the previous weeks, the first order of business was a flurry of paper transfer.

Fred, K6YT, supplied copies of Field Day results that were forwarded to ARRL to each Member. Bob, K6SFM, lauded Fred for his untiring efforts in the prosecution of F. D. activities. Fred gave credit to the Team Captains, Team Captains gave credit to their operators, the operators conceeded the loggers were of value. All credited the Schoofs for the use of their property.

No credit was given those who brought food. Without it and the refreshments it would have been a dreary time.

Bob discussed logging problems and suggested a number of changes to be made next year to eliminate, or reduce the number of, duplicate contacts. A training session for loggers was suggested—also suggested was an instruction sheet for logging because of the "drop in" nature of loggers.

Examination of the Foothill ARC use of a computer to supplement checking for dupes brought envious comments but the F. D. Committee indicated it still liked people to check to eliminate duplicate contacts—if it is done correctly.

Fred suggested improper tuning of equipment in the "heat of battle" caused some local ORM but was gratified that the Novices could work 15 meters while the "fast guys" worked 15 CW and Phone.

PAARAgraphs was given the assignment to publicize ARRL sponsored contests as a training program for next year.

And the meeting continued. The organization of the October 6 Auction/Flea Market; to designate the Menlo Park CD Radio Club as the Menlo Park Emergency Radio Club; to let Explorer Post 599 use K6YQT under the defacto trusteeship of Jim, K7UDG; to continue with the coax purchase investigation;

AND to have a Club picnic in October.

Save the two weekends after the Auction/ Flea Market. A proper date and details will be available next month.

All the above in an hour and a half. The meeting was over shortly after 9, but beer and skittles for some lasted a little longer down the street and around the corner.

Next Board Meeting August 8—all are invited.

+ + +

FIELD DAY CORNER: Operating in the Four Transmitter Class using 200 watt DC input limitation powered by the Club emergency power generator, a total of 12032 points was amassed. Bonus points added another 550 for a total of 12582. The Field Day Committee feels it is a pretty good score.

A total of 23 persons were indicated as being active participants but a total of 48 names were recorded as overrunning the field during the 24 hour operating time.

The action began June 2 with field site preparation and hauling heavy items to the area. It continued June 9 with the erection of antenna structures. June 17 and 18 tied loose ends together and equipment was tested. June 23 and 24 were the days! June 30 found the site cleared of equipment and cleaned to the last pull-tab.

The breakdown of individual band operation shows:

Rand	CW Contacts	Phone Contacts
80 meters	54	102
40	329	335
20	717	1315
15	465	721
10	0	31
2	O	43
OSCAR	5	5
Hovice	162	

Bonus points were claimed for 100% emergen cy power (the generator didn't miss a beat), for publicity (of Henlo-Atherton Recorder fame), for message origination and for OSCAR communications.

Their names and calls are commonplace around the Club. Fred, K6YT, the chief honcho, and Team Captains Cam, K6RU, 40-15CW, Bob, K6SEM, 40-15-10 Phone, Bob, W1ARR, 80-20CW, Jim, K7UDG, 80-20-2 Phone and Swede, KA6BEU, 80-40-15CW Novice are the ones who did the lion's share of planning and organization.

But they couldn't do it all. Without Phone operators W6DU, WB6NYB, N6RY, N6IG, W6NIR, W6CFZ, WA6LNV, K6TNY and WB6BJB, and CW operators K6XO, N6YV, W6XX WB6VFF and KE6S the final score would have not been so impressive. Nor could they have done so well without the support of all those whose calls are not included above.

Some operators did more than their share while others contributed to the Club's best effort by not operating at all.

Bob, K6SEM, enthusiastically remarked, after reviewing the results, "It looks like this Field Day will put PAARA in with the big guys' in national competition."

Steve, K6FS, acted as the Club Photographer to record for posterity, Field Day, 1979.

FOXTAIL COMMER: For those who haven't found the secret: Foxtails must be removed from socks by pushing them through the way they entered and pulling them out from the inside.

EXPLORER CORMER: At the time this article was written, some two weeks after Field Day, I was just recovering from its effects. Seriously, Field Day was an experience which I am sure none of the Explorers will forget.

Congratulations to David Finkelstein, KA6DLL, and John Buonocore, KA6CUG. On June 27 David became a Technician and John became a General. This makes seven members with a radio license, six members still trying, and one member awaiting word from the Federal Communications commission.

On behalf of the entire Explorer Post, I

would like to welcome our newest member. His name is Russel Rockett and he resides at 1335 Greenwood Avenue in Palo Alto. His telephone number is 326 6449. Although our meeting place sometimes gets a bit crowded a new face is always welcome.

Since the Post Treasury is being depleted faster than it is being built up, we are planning a MONOPOLY Tournament for sometime in August. It is hoped that this will help to rebuild the bank account.

Another event planned for August is the Post trip to the Flagstaff (Arizona) Hamfest on the fourth and fifth. No details on either event are available at this time.

As a closing note, I would like to say that Jerry Hogsett Jr. has the call KA6FYW. His call is not KA6FYW, as stated in July 6 volume of PAARAgraphs. Remember his call by the phonics "Kiss All 6 Fine Young Women" 73, Jim 0'Neil

UNLICEMSED CORNER: Bob Gallagher is not long for this column. His examination was received a few days before publication date but sits on the examiner's desk pending a quiet period in Bob's work and a gallon of gas to get him to and from the examiner.

NOVICE CORNER: The Novice operators did a spectacular job at F. D. in spite of being off the air for three hours because of a pecking order of frequency operating priorities set up by something other than their peers.

Dave Daniel became KA6GZG July 17 and made his first contact on 15 meters on the 18th after putting his station together. He has a Halicrafters combo that is neat as a pin, a station for which he advertised in PAARAgraphs last month. Quick work.

Swede, KA6BEU, sent off to ARRL for his WAS-15 meter certificate and within a day or so more than a week later had it framed and on the wall! There are, for some, pitfalls along the route. If paper work bothers you he has it all down pat and can give you some pointers. Collecting the cards takes persistance.

CUT AND PASTE CORNER: Please add the following New Members to your April Roster:

John Hornback KA6FYX Hike NcNamee KE63 Russel Rockett	1474 Maribarough Av., Los Altos	94022	96 1 1 991
	3833 Park Blvd., Apt. 12, Palo Alto	94306	493 2258
	1335 Greenwood Av., Palo Alto	94301	326 6449

and correct:

SALES SERVICE INSTALLATION

3550 Lochinvar Avenue, Santa Clara, California 95051 (408) 247-4220

SSB TRANSMITTING



FEATURES:

- · Linear Converter for SSB, CW, FM, etc.
- A fraction of the price of other units
- 2W p.e.p. output with 1 MW of drive
- *Use low power tap on exciter or attenuator pad Easy to align with built-in test points

Frequency Schemes Available:

MODEL	INPUT (MHz)	OUTPUT (MHz)
X V 2 - I	28-30	50-52
X V 2 - 2	28-30	220-222
X V 2 - 3	28-30	222-224
X V 2 - 4	28-30	144-146
XV2-5	28-29	145-146
X V 2 - 6	26-28	144-146

ONLY \$59.95!


■ Use as Linear or Class C PA's ■ For XV-2 Xmtg Converters, T50 Exciters, or any 2W Exciter

LET YOU RECEIVE OSCAR AND OTHER EXCITING SIGNALS ON YOUR PRES-ENT HE RECEIVER!



MODEL	RF RANGE	I-F RANGE
C28	28-32MHz	144-148MHz
C50	50-52	28-30
C144	144-146	28-30
C145	145-147	28-30
C146	146-148	28-30
C110	Aircraft	26-30
C220	220-222	28-30
C222	222-224	28-30
Special	Inquire About (

ONLY \$34.95



MODEL	RF RANGE	1-F RANGE
C432-2	432-434	28-30MHz
C432-4	432-436	144-146
C432-5	435-437	28-30
C432-7	427.25	61,25
C432-9	439,25	61.25
Special	Inquire About (Other Roomes

ONLY \$34.95

A9 Extruded Alum Case with BNC's for above Converters (Optional) ... \$12.95 VHF& UHF FM RECEIVERS

* MORE SENSITIVE *MORE SELECTIVE (70 or 100 dB)

NEW GENERATION RECEIVERS

LPA 2-45 Kit \$109.95 • 45W out (linear) or 50W (class C)

• 15W out (linear) or 20W (class C) • Solid State

T/R Switching . Models for 6M, 2M, or 220 MHz

Models for 6M or 2M LPA 8-45 Kit \$89.95 For 2M, 8-10W In, 45W out

LPA 2-15 Kit \$59.95

T80 UHF POWER AMP

●Broadband PA ●No Tuning Required ●Class C PA

●430-470 MHz •13-15W Out ●200 mW Drive



Model T80-450 \$79.95 Wired & Tested

* COMMERCIAL GRADE DESIGN ***EASY TO ALIGN WITH BUILT-IN TEST CKTS** *LOWER OVERALL COST THAN EVER BEFORE

R70 6-channel VHF Receiver Kit for 2M, 6M, 10M,



R90 UHF Receiver Kit for any 2 MHz segment of

FAMOUS HAMTRONICS PREAMPS let you hear the weak ones!

Great for OSCAR, SSB, FM, ATV. Over 10,000 in use throughout the world on all types of receivers.

\$12.95 P14 Wired \$24.95



- Deluxe vhf model for applications where space permits • 1-1/2 x 3" • Models avail to cover any 4 MHz band in the 26-230 MHz range •12 Vdc
- 2 stages •Ideal for OSCAR •20 db gain
- Diode transient protection •Easily tunable



\$10.95 P16 Wired \$21.95

Specify Band

P15 Kit \$18.05



- P35 Wired \$34.95 Covers any 6 MHz band in
 UHF range of 380-520 MHz
 20 dB gain *2 stages *Low noise

NEW FM/CW EXCITER KITS

BUILD UP YOUR OWN GEAR FOR MODULAR STATIONS, REPEATERS, & CONTROL LINKS

Rated for Continuous Duty Professional Sounding Audio Built-in Testing Aids



T50 Six Channel, 2W Exciter for 2M, 6M, or 220 MHz (Specify band)..... \$49,95

T50U Six Channel, 1W Exciter for 430-450 MHz uhf operation \$49.95

► Ask For Free Catalog ◀

hamlronics, inc.



OSCAR HEADQUARTERS

⁻⁶ Northern Amateur Relay Council

of California

Z METER SIMPLE GENERAL. 146.43 MHz 1 146.55 MHz 1 147.42 MHz 1 147.45 MHz NORTHEPN CALL

REMOTE BASE: 146.46 MHz 147.45 MHz

CALLING: 146.52 MHz 147.54 MHz NON-VOICE: 146.58 MHz

						ner /	np /CI	ACCESS	SPONSOR	
INPUT	OUTPUT	SANCT	LOCATION	CALL		REF (OP/CL OP	C	CONTRA COSTA COMM.CLUB	
144.51	145.11	408	SAN PABLO RIDGE	WR6EZC	SF BAY		OP	č	AITABU/QXCAN	
144.53	145.13	363	MEADOW LAKES	TORY DXC BALL	MENDOCINO CNTY	A	0P	C	WA6WTT	
	145.15	556 362	UKIAH SAN FRANCISCO	W6PW/RPT	SF BAY		OP	C	SF RACES	
144.55	145.17	553	MANTECA	WB6MF V/RPT			DP.	C	WB6MFV	
144.59	145.13	361	PALO ALTO	WR6BAK	SF BAY		OP	C	K61HM	
144.61	145.21	360	ALTAMONT PASS	WA6SEK/RPT	SF BAY, SJ VALLEY		0P	C	WA6SEK	
144.63	145.23	359	PALO ALTO	WRGAIS	SF BAY		OP.	C	SPARK	
144.65	145.25		MT. DIABLO	WR6AXG	SF BAY, SJ VALLEY		0P	C	W861H0 .	
144.67	145.27	371	AUBURN	WR6AHG	SAC VALLEY		OP	C	PLACER CO. SHERIFF	
144.69	145.29	358	GRIZZLEY PEAK	WR6ANC	SF BAY, SAC VALLEY		OP	С	WAGTWX	
144.71	145.31			11000000	SF BAY		OP	C	WA6TYB	
144.73	145.33	357	MT. SAN BRUNG	WR2AAA	PLEASANTON		OP	c	PLEASANTON RACES	
144.75	145.35	356	PLEASANTON BELMONT	WR6BAW WR6BCK	SF BAY		OP	C	BELMONT ARC	
144.77	145.37	355 409	BLACK BUTTE	WD6EJF/RPT	SJ VALLEY		OP	c	SARA	
144.79	145.41	353	MT. DIABLO	WR6ADC	SJ VALLEY, SF BAY		OP	C	ADC ASSOCIATES	
144.83	145.43	352	AUBURN	WR6AD1	SAC VALLEY		OP 90	C	SIERRA FOOTHILLS ARC	
144.85	145.45				1000	>			TOTAL BY DOTE ACCOU	
144.87	145.47	350	FREMONT PEAK	WR6AZO	CENTRAL CALIF (COAS	51)	OP	C .	FREMONT PK. RPTR ASSOC.	
144.89	145.49	557	MT. BEACON	WB6DVV/RPT	SF BAY		OP OP	C	WB60VV SHARP	
146.01	146.61	482	CARPENTER RIDGE	WREACW	SAC VALLEY		OP OP	Č	WA6SBM	
		002	MEADOW LAKES	WR6AFA W7TA/RPT	SJ VALLEY REMO/TAHOE		OP	č	SIERRA NEVADA ARS	
		290	OPHIR PEAK SILVER PEAK	WR6AAF	E. CENTRAL CALIF		OP	Č	GRONK RADIO NET	
		412	MARIN	WR6AGG	SF BAY		OP	C	UHF ENGINEERING SOC.	
			SAN CARLOS	WREAPK	SF BAY		OP	C	EIMAC RADIO CLUB	
146.025	146.625	271	SUNSET WHITNEY	WR6AQM	SAC VALLEY		OP	C	SUNSET WHITNEY RC	
146.04	146.64	003	LOMA PRIETA	WR6ABD	SF BAY		OP	C	PIONEER RC OF SAN JOSE	
		004	CLEAR LAKE	WREAJC .	LAKE COUNTY		OP	C	W6CPK	
		238	REDDING	WREAGY	H. SAC VALLEY		OP	C	TIN CUP RPTR GROUP	
		413	BISHOP	WRGAQJ	E. CENTRAL CALIF		OP OP	c	GRONK RADIO NET PLACER CO. SHERIFF	
		239	MT. PLUTO	WR6AUN	CENTRAL SIERRAS SAC VALLEY		CL	c	SHINGLE SPRINGS NET	
146.07	146.67	005	SHINGLE SPRINGS	WR6ABK WR6AKD	SF BAY		CL	č	SHINGLE SPRINGS NET	
		006	MT. SAN BRUNO	WR6AGO	SJ VALLEY		OP	c	BAKERSFIELD RPTR SOC.	
		007 410	MT. ADELAIDE UKIAH	WA6WTT/RPT	UKIAH		OP	C	WA6WTT	
		508	MT. LOPSE	WR6ASW	SANTA MARIA		OP	C	SATELLITE ARC	
146.10	146.70	008	MT. TAMALPIAS	WR6ACS	SF BAY, SAC VALLEY	Y	OP	C	AMATEUR COMM. SOC.	
140.10	, , , , , ,	245	BEAR MIN.	WR68AD	SJ VALLEY		OP	RTTY	CCATS	
		411	FIEKLE HILL	WASICB/RPT	EUREKA		OP	c	WAGICB	
146.13	146.73	003	SONOMA HTN.	WREAES / POT	N. SF BAY		OP	C	SONOMA CO. ARS	
		595	BEAR MT.	W86FKZ/RPT			OP OP	C	CAL POLY ARC	
146.16	146.76	011	SAN LUIS OBISPO	WR6ADS	N. SAC VALLEY		OP	c	WEGWN	
		012	REDDING	WR6AFZ WR6AGT	EUREKA	A	OP	c	FAR WEST RPTR ASSOC.	
		013	MT. PIERCE ROCKY HILL	WAGRUN/RPT			OP	c ·	ROCKY HILL RPTR ASSOC.	
		015	MT. CHUAL	WREADE	SF BAY	A	OP	C/PL	SANTA CLARA VLY RPTR	
		414	MC CLELLAN PEAK	WR7ABN	RENO		OP	C	SILVER CIRCLE ARS	
146.19	146.79	016	SAN FRANCISCO	WR6AC1	SF BAY		OP	C	GS LADD PIONEER ARC	
		017	SACRAMENTO	WREADU	SACRAMENTO		OP OP	C	RAMS, INC. SISKIYOU CO. RACES	
		018	YREKA	WREATL	N. CENTRAL CALIF	A	OP.	C	CENTRAL CAL AMA COMM.	
		240	MEADOW LAKES	WR6AFS	SJ VALLEY MONTEREY	n	OP	C	TREE & SEA RPTR ASSOC.	
		241	SANTA CRUZ RENO	WR6AJB WR7AHQ	RENO		OP	C	NEVADA UHF EXPER. SOC.	
			NENU	with the same						
146.22	146.82	019	GRIZZLEY PEAK	WR6ABM	SF BAY, SAC VALLE	Y	OP	С	GRIZZLEY PK VHF ARC	
1.10.22		020	CUESTA PEAK	WR6AEL	CENTRAL COAST		OP	C	CENTRAL COAST ARC	
		242	DUNSMUTR	WR6AKQ	N. SAC VALLEY		OP	C	SISKIYOU CO. RACES REPEATER ASSOCIATES	
		021	FRESNO	WR6BBX	FRESNO		OP	C	FAR WEST RPTR ASSOC.	
		415	CRESENT CITY	WREANH	CRESENT CITY		OP OP	C	MENDOCINO COAST AMA.	
		416	BALD HILL	WA6FBL/RPT	FT. BRAGG SJ VALLEY		OP	c	WA601B	
146.235		4115	MEADOW LAKES	WREAFH						
146.25	146.85	554	MT. SAN BRUNO MT. STEVENSON	WR6BBO	SF BAY		OP OP	C	GORILLA RADIO CLUB K60GX	
		023	FORREST RANCH	K60GX/RPT WR6AJE	SJ VALLEY N. SAC VALLEY		OP	c	GOLDEN EMPIRE ARS	
		402	HEAVENLY VALLEY	WR7AK!	CENTRAL SIERRAS	A	OP	c	TARA	
146.28	146.28	024	MT. OSO	WR6ACV	SJ VALLEY, SAC VAL		OP	C	CENTRAL VLY VHF FM CLB	
		025	ROUND TOP	WR6AFP	SF BAY		OP	c	VHF RPTRS, INC.	
		026	BLUE RIDGE MTN.	WAGYLB/RPT	S. SJ VALLEY		OP	C	TULARE CO. ARC, INC.	
		243	EUREKA	WR6ALP	EUREKA		OP	c	REDWOOD REPEATERS	
		255	MT. HAMILTON	WRSALW	LASSEN CO.		OP	C	LASSEN ARC	
		325	WILLIAMS HILL	WR6AWM	CENTRAL COAST		OP	£	WILLIAMS HILL ARS	
146.295	146 905	505	Sanel Mt.	WF6AQG	UKIAH		GP OP	C	w() u	
146.31	146.895 146.91	028	PLEASANT HILL SONOMA MTN.	K61H/RPT WR6AFY	CONTRA COSTA CO. SF BAY	A	OP OP	C B2100	K61H	
140.31	170.71	417	MT. ST. HELENA	WREAED	SF BAY, SAC VALLEY	Y	0P	B2100 B1950	SONOMA MTN RPTR SOC. SONOMA MTN RPTR SOC.	
		418	MT. JACKSON	WR6AXV	SF BAY		OP	81800	SONOMA MIN RPTR SOC.	
		027	MT. MC KITTRICK	WR6ACE	S. SJ VALLEY		CP	6	CENTRAL VLY RC, INC.	
		029	SACRAMENTO	WREAEN	SACRAMENTO		OP	C	AMATEUR EMERGENCY NET	

		5 034111400								
	INPUT	OUTPUT	SANCT	LOCATION	CALL	COVERAGE	REF	OP/C	L ACCESS	SPONSOR
	146.325	146.325		ROUND TOP	WR6880	SF BAY	A	OP	C	SMART
	1/16.34	146.34	246	COHASSET	WR6AMA	N. SAE VALLEY		OP	B1950	COHASSET AMA RPTR ASSOC
CHANNELS:			247	MENDOW LAKES	aRCACU	ST AVETEA		OP	C	FRESNO ARC. INC.
COMMET?:			264	MT. PRATT	WREAGU	N. COAST		OP	C	FAR WEST REPEATERS
			289	AL TURAS	WR7A1K/6	ALTURAS		OP	C	
7.48 MH2			291	SOLOMON PEAK	WREASW	SANTA MARIA		OP	C	W6 KPS
.51 MHz			419	CONWAY SUMMIT	WR6.1ZH	E. CENTRAL CALIF		OP	C	MONO CO. ARA
.60 MHz			420	ROUND TOP	W6JKA/RPT	SF BAY		04	C	CALCOM SYSTEMS, INC.
100 1017			421	B1SHOP	WREACG	E. CENTRAL CALIF		30	C	GRONK RADIO NET
RNIA ONLY	1/16.37	146.97	030	DONNER BEACON	WR6AST WR6ABX	CENTRAL SIERRAS	EV	OP OP	C C/PL	PLACER CO. SHERIFF
	140.37	146.37	031	BERRYESSA PEAK MONTEREY	WREAEZ	SF BAY, SAC VALLS MONTEREY	A	OP.		BERRYESSA ARC NAVAL POSTGRAD ARC
			265	ROCKY HILL	WREARS	S. SJ VALLEY	A	OP	W1336	ROCKY HILL RPIR ASSOC.
AIRBORNE:	146.40	147.00	033	MT. VACA	WR6AGO	SF BAY, SAC VALLE	EV	OP	C	MT. VACA RADIO CLUB
147.57 MHz	146.715	146.115	423	SACRAMENTO HILL	W6GSO/RPT	PLACERVILLE		OP	Č	EL DORADO CO. ARC
147.57 (11)	146.745	146.145	425	AUBURN	WAGZNM	SAC VALLEY		OP	č	J. Sawyer
	146.775	146.175			4770 2 1811			0,		J. Jowyer
	146.955	146.355		MT. DIABLO	WREAYR	CONTRA COSTA		OP	C	NORTHGATE RPTR ASSOC.
	147.015	147.615	481	STATELINE	WR6AXA	LAKE TAHOE	Α	OP	C	WB6VLK
OFF ROAD:	147.135	147.735	327	LAFAYETTE	WREAUL	CONTRA COSTA	A	OP	C/PL	CONTRA COSTA RPTR ASSOC
	147.345	147.945	422	GRAM PEAK	K6PSJ/RPT .	SJ VALLEY	A	OP	C	MT. OSO RADIO ENGRS.
146.49 MHz	147.63	147.03	034	MT. BULLION	WR6ALG	SJ VALLEY		OP	C	TARC
			035	ROUND MTN.	WREAJZ	S. SJ VALLEY	Α	OP	C	KERN CO AUTOPATCH
			244	RED HILL	WREAEV	SF BAY	A	OP	C/PL	AMCOM REPEATER
				HAYWARD .	WREAJY	SF BAY		OP	C/PL	AMCOM REPEATER
			328	GUALALA	K6PB/RPT	N. COAST		OP	C	REDWOOD CUAST ARC
	147.66	147.06	036	ALAHO	WR6AHK	SF BAY, SAC VALLE	EY A	OP	C	ROCKY RIDGE RPTR GROUP
			036	MT. DIABLO	K6POU/RPT	SF BAY, SAC VALLE	ΕY	OP	C	MT. DIABLO RPTR ASSOC.
	147.69	147.09	037	BELMONT	WREABY	SF BAY		OP	C	WB6CKT
			257	PIONEER	WR6A0S	SJ VALLEY, SAC VA	ALLEY	OF	C	WB61RL
	117 205	117 100	375	MT. PATRICIA	K6KZT/RPT	CENTRAL COAST		OP	B/1800	KEKZT
	147.705	147.105	038	SAN FRANCISCO	WREAHE	SF BAY	A	OP	B/1600	K61M
	147.72	147.12	426	FRESHO	WR6AXH	FRESHO		OP	C/RTTY	W860WE
	147.72	147.12	039	GRASS VALLEY LIVERMORE	WREAKL	SAC VALLEY		OP	C (2) 100	NEVADA CO. ARC
			266	BEN LOMAND	WR6AHP WR6AOK	LIVERMORE	A	OP	C/PL100	LIVERMORE AR KLUB
			477	BAKERSFIELD	WR6BBK	SANTA CRUZ BAKERSFIELD		OP OP	C	SAN LORENZO VLY RPT CL.
			428	HARRIS GRADE	WR6AVI			OP	C	BAKERSFIELD RPTR SOC.
	147.75	147.15	041	MT. UNUNHUM	WROADH	SE BAY	A	CL	C/PL	WAGEIR BAYCOM
		(47.15	429	MERCER MIN.	WR6ARP	SJ VALLEY	A	OP	6	КБАНО
	147.765	147.165	042	MT. ZION	WREALK	SJ VALLEY, SAC VA	HEV	OP	C/FL	STOCKTON RC
	147.78	147.18	043	MT. ST. HELENA	WR6AFU	SF BAY, SAC VALLE			C/PL/B1800	MT. ST. HELENA ARS
			322	DEADWOOD PEAK	WREARO	SJ VALLEY		OP.	C	MADERA ARC
				VIRGINIA PEAK	พลราวพ	ברוכ בארחתי חודים	,	20	-	""SHOP "
			5:17	BUTCHER HILL	KOGZV/RPT	YREKIL		QP.	C	
	147.795	147.195	044	MT. UMUNHUM	WR6AMT	SF BAY	A	CL	PL	COMEX PARK RPTR ASSOC.
	147.81	147.21	045	OAKLAND	WR6ABF	SF BAY	A	OP	C/B2400	PACIFIC SERVICES RC
			378	KINGSBURY VILLAGE	WR 7ANW	LAKE TAHOE		OP	C	WATYFW
			430	SANTA MARIA	WR6AHZ	SANTA MARIA	Λ	OP	C	SATELLITE ARC
	147.84	147.24	348	SAN LEANDRO	WREADM	SF BAY		OP	C	N. CAL CONTEST CLUB
			431	SILVER PEAK	WR6AQH	E. CENTRAL CALIF.		0P	C	WASMXR
			506	HEAVENLY VALLEY	W73K2, RPT	CENTRAL SIERRAS		OP	C	TARA
	147.855	147.255	323	MT. BULLION	WREAUH	SJ VALLEY	A	OP	C	WB61NM
				SAN JOSE	WR6AVB	SF BAY		OP	C	W 16DBJ/WR6MER
	147.87	147.27	047	MT. VACA	WR6AE1	ST BAY, SAC VALLE	Y	OP	C	SOCIETY OF AMA RADIO OF
	147.90	163 30	434	JUNE LAKE	WREAEY	E. CENTRAL CALIF		OP	C	MONO CO. ARC
	147.30	147.30	274	SAN MATEO	WREAME	SF BAY		OP	C/T	SUBMARINE
			274	BURLINGAME HILLS	WREADR	SF BAY		OP	PL/100	SUBMARINE
			274	MT. SAN BRUND	WR6A1K	SF BAY		OP	С	SUBMARINE
				SACRAMENTO CHICO	WR6AGK	SACRAMENTO		OP	С	J. I. SABIN PLONEER RC
	147.93	147.33	273 050	MARIN	WR6ARA	CHICO		OP	C	J. I. SABIN PIONEER RC
	147.93	147.33	h 32		WR6ACR	SF BAY		90	RTTY	AMATEUR COMM. SOCIETY
				JOAGULE RIDGE	W61YY/RPT	SJ VALLEY	A	OP	C	SEQUOTA TELE PIONEERS
			1	JILLETI	WOULGX/RPT			1113	12	JOHF GX
	147.96	147.36	051	LOS ALTOS HILLS	WR6ACZ	SF BAY		CL	C	N. CALIF. DX CLUB
			433	VISALIA	WR6ASK	VISALIA		OP	C	WA6BL 8
	1111			RENO	WR7AJH	RENO	A	OP	C	W7FDZ
	147.97	147.37		REDDING	WB6HPN/RPT	REDDING	Α	CF	C	MERUDA
	147.99	147.39	052	SACRAMENTO	WREAQZ	SACRAMENTO	A	UL.	C/PL	STAR
			053	PARADISE	WREACH	N. SAC VALLEY		CL	C	WEECE
			268	LOS GATOS HILLS BALD MTN.	WR6ADX WR6AJD	SF BAY SJ VALLEY	A	CL	C/PL.	LOS CUMBRES APC REPEATER ASSOCIATES
							A	CL		

REF LEGEND:

OP/CL LEGEND:

"C" - CARRIER ACCESS
"PL" - SUBAUDIBLE
"B" - BURST TOHE
"RTTY" - TELETYPE
"W" - WHISTLE ON
"T" - TOUCHTONE

ACCESS LEGEND:

SANCTION LEGEND:

"OOO" - WARC SANCTION NO.
"Pend" - SANCTION APPLIED FOR
" - NOTHING PENDING

"A" - AUTOPATCH "L" - LINKED

"OP" - OPEN REPEATER "CL" - CLOSED REPEATER 3550 Lochinvar Avenue, Santa Clara, California 95051 (408) 247-4220

Henry Radio is proud to offer the most important innovation in Amateur Radio since SSB

Historically, Amateur Radio operators have made important contributions to the art and science of communications. Once again Amateur Radio assumes leadership in advanced communications technology. You have the privilege of being one of the first to include a Narrow Band Voice Modulation (NBVM) system in your station. The VBC Model 3000 is the system that you have been hearing about for a year and have read about recently in QST and the 1979 ARRL Handbook. It is the world's first such system.

The VBC Model 3000 provides full audio level compression and expansion... complete intelligibility in only 1300 Hz bandwidth. It permits you to take full advantage of other stations' RF speech clippers and processors... similar to the amplitude compression and expansion used for many years in telephone and satellite communications.

The Model 3000 is for mobile and fixed station use and requires no modifications to your existing equipment. It is completely self contained, including its own audio amplifier. The unit automatically switches into transmit mode when microphone is keyed or voice operation is used. It connects just after the microphone on transmit and just prior to the speaker on receive. In addition to its basic

function of operating in a narrow bandwidth, the Model 3000 also increases the performance of your station in the following ways:

- · Reduces adjacent channel interference
- Increases signal to noise ratio

 Increases communications range Some of its outstanding features include:

- High quality narrow band speech
 - Self contained transmit/receive adapter
 - Built in audio amplifier
 - . 5 active filters with a total of 52 poles
 - Rugged dependable hybrid IC technology
 - Low power consumption

Receive only features, such as sharp voice and CW filtering and amplitude expansion, provide improved reception without requiring a unit at the transmitting station.

For the more advanced experimenter the Model 3000 is available in a circuit board configuration for building into your present transceiver.

Henry Radio is ready to offer technical assistance and advice on the use and servicing of the Model 3000 and will help introduce new owners to others operating NBVM units. Get in on the ground floor... order yours now. Price: VBC Model 3000 \$349,00

Circuit board configuration \$275.00

For more detailed information please call or write. The Model 3000 will be available from most Tempo dealers throughout the U.S. and abroad.

TECHNICIAN CORNER: Listed elsewhere is David Finkelstein, KA6DLL, who upgraded with the Explorer Expeditionary Force June 27. You have the hard part toward your General Class Ticket done, David.

GENERAL CORNER: Congratulations to John, KA6CUG, for his ungrade, also on the 27th. We're glad you waited until after Field Day!

ADVANCED CORNER: Sometimes things happen fast. John, KA6EMX, upgraded from General, which was reported last month. John got his baptism operating 20 and 80 meters Field Day.

EXTRA CORNER: It's extra this month.

NI-CD CORNER REVISITED: Because of the increased use of Ni-Cd's for 2 meter work, this supplements earlier PAARAgraphs articles on the cells. It was pirated from the CARRIER, published monthly by the Mount Diablo Amateur Radio Club. Your editor tried the reverse polarity treatment on one of his 4 AH cells and it did the trick. He can't wait to get a shorted cell to see if he can cure it. Wanna bet?

Ni-Cad Battery Rejuvenator

I recently made a purchase from Quest Electronics in San Jose. They had a Ni-Cad Battery Rejuvenator Kit available and being a Wilson owner with approximately 10 shorted or dead AA Ni-Cads laying around I purchased the kit.

This kit will ZAP/CHARGE all AA, A, C, or D size Ni-Cads of 1.2 volts DC capacity. Most cell failures are the result of neglect or improper operation. To prevent Mi-Cad failure exercise the cells every 30 days. Run them until they are unable to provide enough voltage to function, then fully recharge them. Never leave them turned on beyond the point where the voltage is insufficient to operate the device in which they are used.

Ni-Cads generally fail in one of four ways:

1. Develop a short. 2. Reverse polarity.

3. Develop a memory. 4. Die completely.

The first three are generally reversible. A short can be checked with a Volt-Ohm meter. If the cell shows zero volts, try measuring its resistance. A short will show near zero ohms resistance in either polarity. A cell will often reverse its polarity. This can be seen easily with a voltmeter. The memory problem is less common and harder to tetect. The symptoms are reduced capacity (shortened run life) and moderately decreased load voltage when fully charged.

The rejuvenator is made up of a high wat-

tage resistor, a computer grade electrolytic capacitor, four diodes, one push button switch, one SPST switch and one transformer. The purchaser must supply his own Mini-Box and, if desired, a DC meter.

The charger will provide 75 to 100 milliamperes of charging current. This value is safe for most cells of 1.2 volts capacity. Charge time will be about five hours. The procedure for repairing shorts and memory problems is as follows. The battery is inserted in the rejuvenator and is plugged in. The Zap button is pushed and held for about one minute. This impresses approximately 32 volts across the battery. Wait about 1 minute and push the Zap button again. With the Zap button depressed read the voltmeter. If no voltage is indicated keep zapping the battery until you can see some voltage from the cell. Continue zapping to get a higher voltage each time the zap is done. You can hold the Zap switch down for a few seconds each time after the voltage reaches one volt before trying another zan. When the cell voltage reaches 1.2 volts, watch the voltmeter when the zap switch is released. If the voltage sinks rapidly you still have a short so keep zapping. When the cell will stay up at about 1.2 volts you may place the rejuvenator in the charge position and charge the cell. It may take 20 to 30 maps to reach this point. If you cannot get the voltage to stay above 1 volt, the cell is dead.

Reverse polarity cells must have their polarity corrected first. Hook the negative end to the positive end with a short length of wire for 1 to 2 minutes. Now check the polarity again. If it is still reversed try twice again and then proceed with the rejuvenation peocess.

Memory problems just need their memory changed. Short out this cell through a flashlight bulb until the bulb just goes out. Then completely recharge the cell. This may have to be done more than once.

I have had 10 bad Ni-Cads in my shack. So far I have been able to cure and charge 8 out of the 10. They have held their full charge for 1 week so far where before they would not hold their charge for more than a few hours. I am still working on the remaining two.

The Rejuvenator is available through: Onest Electronics, PO Box 4430M Santa Clara, CA 95054. Phone 988 1640 The price is 7.25 plus tax.

Jay D. Caldis. VB6PUA.

TECHNICAL TOPICS CORNER: 'Ed, W6AIN, passes the following hints regarding the feeding of your antenna: "When attaching a coax feed line to an antenna, directions say to have the coax extend at right angles (1/4 wavelength, ed) for a distance from where it attaches to the antenna. This is to preclude induced currents on the coax braid from affecting the antenna characteristics. If the coax does not come off at right angles, the prevention to induced currents is to have 8 to 10 turns of coax 6" in diameter to serve as a choke. Install the choke at the antenna. (ref: QST, May, 1979. pg. 35)"

Ed recommends OST, Feb. 1979, pg. 15 for those who want to know more about baluns. And if anyone has a source (local) of torroids for balluns, it might be worth a mention in PAARAgraphs.

Ed would like to see a "Technical Topics" published from time to time to be submitted by PAARA members and readers of PAARAgraphs. We have some but your editor would like more.

CONTEST CORNER: From July, 1979 OST, pg 88: August 4-5: UNF Contest

Illinois QGO Party YO DX Contest

11-12: WAE, cw

18-19: SEANET, phone

SARTG RITTY

25-26: All Asia, cw

Maybe one of the contesters will fill us in on what to look for the weekend following the August 3 meeting. Lacking that, give a listen and find out. August 25 and 26 sound particularily interesting. Meet the challange! Work a JA! If you hear a AC3 or A51, give the DX hounds a call.

CORRESPONDENT'S CORNER: Hal Moore, W6DEF, Delta Echo Foxtrot, (don't confuse phonics for D and V) writes from Auburn that he is a member of the Sierra-foothill Amateur Radio Club which meets the second Thursday of each month at the Bowman School near Auburn. The club has a net using WM6ADI on Thursdays other than meeting nights. 15 or so check in on the net; 30 or more at the meetings.

Hal reports that he is on the air on 3630 kHz with the Horthern California Net almost every evening at 1900 and 2030P and also on the NCH WHF session using WR6ADC at 144.81-145.41, 1930P daily. Always a traffic pusher, Hal suggests that anyone afraid to enter their own traffic in the MCN can do so through Larry, K6KZJ, phone 593 9150.

UNCLASSIFIED CORNER: PAARAgraphs will enter items for sale, trade or swap by members of PAARA and by other interested "operatord" as space permits.

HOLDING THE BAG. Someone left your editor with a folder of schematics for a Mobile/Base Station transmitter and receiver numbered 7484520-G1 transmitter and 7484500-G1 receiver to enter in PAARAgraphs for sale. If you would like the specification sheets, they are available. If you have the rig, let it be known at the next meeting. If you want the rig, ask who has it. Ms I understood it, midst quaffing coffee and munching on cookies, the rig can be had for something less than part of your lowerleft leg.

FOR SALE: Heathkit HW 16. Good Novice 1 rig. Excellent condition with manual, \$100. and,

Realistic DX 160 Communications Receivee with manual. Mint condition—like new. Thinking of \$120 but call with your best offer.

See John, KA6CUG, at the meeting or call 366 1658

FOR SALE: 60 foot Rohn 25G tower with insulated base and heavy duty thrust bearing. CDE Ham II Rotator and control unit plus an 8 ft mast of 2" o.d. x 1/4" wall aluminum. Hygain 204BA 4 element monoband Yagi with Higain BN 86 balun, coax, control and insulated guy cables and turnbuckles:


Asking \$420 and prefer not to sell piecemeal. See Tiff at the meeting August 3 or, if you have to have it, call him at home, 324 4524, or at work 326 6200 ext. 4005.

INFORMATION: For those on 2-meters, a swap-shop has been initiated (7/17) by Eric, W6bU and Bob, K6SEM, on 147.45mHz on the Monday evening PAARAnet. 8:30 p.m. Items will be reentered until withdrawn by a sale, swap or disinterest.

FIEA MARKET. Foothill ARC, September 8, Foothill College, Electronic Museum Parking Lot, 8:00 a.m.

PAARA AUCTION/FLMA MARKET, Saturday, October 6, 1979. Ampex Cafeteria. Save your gear for auction, enjoy the crowd, drink the coffee, eat the doughnuts, eat your heart out for what you didn't get. Raffle prizes! Fun!

Editor's Corner: Writ with surprising ease (it probably reads like a dog) whilst thinking of nothing but PAARAgraphs



HW-8-It works the world on a couple of watts!

- 0.2 AV gives you readable signals
- 4 Band CW Operation
- o Front panel Relative Power Meter

When was the last time you worked the coast, snagged YV or exchanged reports with a DJ6...all with just three watts in? If you've never tried it, you're in for some real excitement and challenge. It takes a good rig though, one with excellent performance and specifications, and probably the best QRP rig going is Heath's HW-8.

Look at the receiver. As little as 0.2 microvolts in at the antenna terminal gives you a readable signal. Hum and microphonics are minimal. Couple that with a tunable preselector, direct conversion with RF amplification, a tralanced product detector followed by active audio processing, and you've got a hot little receiver that's going to dig in and dig out the stations you're chasing!

The transmit section's the same story...performance! You'll get a minimum of 3.5 watts in 80 through 20 and 2.5 in on 15. Each band is individually selected and crystal controlled hetrodyne circuitry insures accurate frequency mixing. The HW-8's VFO features an MPF-105 FET in a temperature compensated Hartley configuration. This design approach provides overall stability and covers the unit's 3.5-3.75; 7.0-7.25; 14.0-14.25; and 21.0-21.25 MHz operating ranges with excellent accuracy.

Operating convenience wasn't forgotten either. The HW-8 features an RF and AF gain control, solid state band switching and semi break-in CW operation including adjustable T/R delay. Operate your HW-8 from its optional AC supply or take it to the mountain top and run on batteries.

The HW-8 is an easy and enjoyable kit to build, too, most parts mount on a single printed circuit board, and there's minimum point to point wiring. Now's the time to get into the fun and excitement of low-power CW operation. Order your HW-8 today!

HW-8 SPECIFICATIONS: TRANSMITTER - DC Power Input: 3.5 watts (80 M); 3.0 watts (40 M); 3.0 wetts (20 M); 2.5 wetts (15 M). Frequency Control: built-in YFO. Frequency Stability: Less then 150 Hz/hour drift after 60 minute warm-up. Dutput impedance: 500, Stability, Less then 150 Hz, hour drift after 60 minute warm-up, Dutper Impedance; 501, unbalanced, Speriena & Namewell Levelse. —33 dB or better, Offset Fraceware; spprox. —730 Hz, fixed on all bends, RECEIVER — Sensitivity; 0.2 µV for readable signal; 1 µV or less for 10 dB S+M/M, Selectivity; wide, —750 Hz @ —6 dB narrow, —375 Hz @ —6 dB, Asalid Outpet Impedance; 10000, nominal. ERNERAL — Fraceware; Coverage; 3.5-3.75 (50 Mi); 7-7.25 (40 Mi); 14-14.25 (20 Mi); 21-21.25 MHz (15 Mi). Fraceware; Stability, less than 100 Hz/hour drift rafter 30 min. warmup. Power Reseaterwareth 12-16 VPC, 90 mA, receive; 430 mA, transmit. Dimensions: 9¼" x 8½" x 4¼". Net Weight 4 lbs.



This new Amateur Radio Program will help you earn your General Class License

- · Effective self-instruction program
- · Money back guarantee


Don't wait another day to prepare for and pass the FOC General Class Amateur Radio License exam. This program's extra code practice takes you to 15 words per minute code speed (13 WPM is passing) An informative text takes you through exam material stepby-programmed-step. You even take a simulated FCC exam. Besides text and two code practice cassettes, you receive a code practice workbook, a 31" x 41" Amateur Radio world map, a booklet on preventing radio/TV interference, a station log book, a set of FCC Amateur Radio rules and regs, the FCC Form 610 required to apply for your license and an FCC schedule of when and where exams are held. If, after completing the program, you fail to pass the FCC Amateur Radio General Class License exam. Heath Co. will refund your money for the text materials. New! State-of-the-art Heathkit HX-1681 (QSK) CW Transmitter

CW performance you can count on for QSO after enjoyable QSO

- Full break-in CW operation (QSK) . Built-in VFO
- · Covers 80 through 10 CW
- Rugged 6146 finals

Cut through the QRM with the HX-1681's combination of solid-state technology and vacuum tube finals. This CW transmitter is loaded with the features that Heath engineering is famous for. It's a perfect match for the HR-1680 receiver. You get full break-in operation and built-in solid state TR switching. Plus a sidetone output with adjustable tone arm level and receiver muting. We've even provided keying for easy addition of an external power amplifier. Operation is easy, too. A clean front panel puts everything at your fingertips. Plenty of power out. A pair of rugged 6146s give the HX-1681 a minimum of 100 watts out on 80 through 15 meters and 75 out up on 10. Requires Heathkit Model HP-23C power

Kit HX-1681, Shpg. wt. 16 lbs. 249.95



HX-1681 SPECIFICATIONS: Frequency Coverage (MHz): 3.5 A.O. 7.0-7.5, 14.0-14.5, 21.0-21.5, 28.0-28.5. AF Power Output: 100 watts min. 80-15 meters, 75 watts min. on 10 meters. Mode of Operation: CW. Harmonic Radiation: 50 dB down at rated output. Spurious Radiation: 60 dB down at rated output. Power Requirements: 700-850 VDC @ 250 MA with max. 1% ripple, 250 VDC @ 50 MA with max. 0.05% ripple, —115 VDC @ 10 MA with 0.5% max. ripple, 12.6 VAC, DC @ 2.5 A. Dimensions: 6.75" H x 12.75"

HEATHKIT ELECTRONIC CENTER

A SCHLUMBERGER PRODUCTS CORPORATION UNIT

2001 MIDDLEFIELD ROAD



Quement Offers the Best in Service and Financing!

PLEASE WRITE OR CALL FRANK, WBGJPF, FOR SPECIAL CASH OR CHARGE PRICE INFORMATION!

MAIL ORDERS GIVEN SPECIAL ATTENTION




































Panasonic

AUTEK TRISTAO TOWER DIVISION

BELDEN (6)

AND MANY OTHER FINE BRANDS!



40,000 SO. FT. OF ELECTRONIC PARTS.

COMPONENTS, TUBES AND ACCESSORIES.

ANTENNAS - NEW SERVICE DEFT AMI EARS - RECOUSTIC SOUND DEMONSTRATION ROOM HAM GEAR - RCOUSTIC SOUND DEMONSTRATION ROOM CITIZENS BAND - COMPLETE STEREO HI FLOEPT COMMERCIAL AND INDUSTRIAL PARTS SUPPLY BANKAMERICARD - FIRST NATIONAL - WASTERCHARGE

1000 SO, BASCOM AVE. SAN JOSE, CA 95128 408-998-5900







